

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

application of:

Vivek Agarwal; Victor Prince Sundarsingh Serge Bontemps and Alain Calmels

U.S. Serial No. 10/689,863

Group Art Unit 2838

Filed: October 20, 2003

For:

POWER CONVERTER METHOD AND APPARATUS

HAVING HIGH INPUT POWER FACTOR AND LOW

HARMONIC DISTORTION

Confirmation No. 3341

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450 J HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE U.S. POSTAL SERVICE AS FIRST CLASS MAIL ADDRESSED TO:

☐ Mail Stop Director USPTO

Mail Stop Amend ment Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

☐ Box

Commissioner for Tradements

2900 Crystal Drive

Arlington, VA

## INFORMATION DISCLOSURE STATEMENT

Applicant submits herewith PTO Form 1449 and copies of patents and publications of which he is aware which may be material to the examination of this application and in respect of which there may be a duty to disclose in accordance with 37 CFR Section 1.56.

Applicant includes on the 1449 the references numbered 1-51 listed in the specification pages 2-7, with the exception of references numbered 1; 23; 27, 18 and 39 which will be provided in a Supplemental Information Disclosure Statement. Also included are references cited in the International Search Report, copy enclosed, in corresponding PCT/US 03/33419.

Respectfully submitted,

20575

Customer No.

MARGER JOHNSON & MCCOLLOM. P.C.

Alexander C. Johnson, Jr.

Registration No. 29,396

1030 S.W. Morrison Street Portland, Oregon 97205 Telephone: (503) 222-3613

cc: Dah Wen Tsang



Sheet 1 of 5

Form PTO-1449 (modified) INFORMATION DISCLOSURE CITATION					atty. Docket No. 138-102	Serial No. 10/689,863			
t		,				applicant: agarwal, et al.			
						iling Date October 20, 2003	Group 2838		
		tent Documents							
Initial	Docume	ent Number	Date	Name	C	Class/Subclass			
	5,302,85	58	04/12/94	Folts	H	IO2J 9/06			
	Foreign	Patent Documer	ıts						
Examin	er Initial	Document Nun			Country	Name	Class/ubclass		
-		01140014.5	11/20/0	01	China	Wang	H02M 1/12		
	Non-Pa	Non-Patent Documents							
	Other D	Other Documents (including Author, Title, Source, Date, Pertinent Pages)							
	Schlecht, M.F. and Miwa, B.A., "Active power factor correction for switching power supplies," IEEE Transactions Power Electronics, Vol. 2, No. 4, pp. 273-281, 1987.  Akagi, H., "Trends in active power line conditioners," IEEE Transactions on Power Electronics, Vol. 9, 1263, May 1994.  Redl, R.; Balogh, L. and Sokal, N., "A new family of single stage isolated power factor correctors with faregulation of the output voltage," IEEE Power Electronics Specialists Conference, pp. 1137-1144, 1994.						ing power supplies," IEEE		
							on Power Electronics, Vol. 9, pp.		
	<del></del>	Erickson, R.; Madigan, M. and Singer, S., "Design of a simple high-power-factor rectifier based on the flyback converter," IEEE Applied Power Electronics Conference and Exposition, pp. 792 – 801, 1990.							
	Prasad, A.R.; Ziogas, P.D. and Manias, S., "A new active power factor correction method for single boost AC – DC converter," Proceedings of APEC, pp. 814 – 820, 1992.						rection method for single phase buck		
		Yang, Eric X.; Jiang, Y.; Hua, G. and Lee, F.C., "Isolated boost circuit for power factor correction," Proceedings of APEC, pp. 196 – 203, 1993.							
Examin	er				Е	Date Considered			

<sup>\*</sup>Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 (modified) INFORMATION DISCLOSURE CITATION		Atty. Docket No.	Serial No.		
INFORMATI	ON DISCLOSURE CITATION	1138-102	10/689,863		
		Applicant: Agarwal, et al.			
		Filing Date October 20, 2003	Group 2838		
<del></del>		·			
	Kheraluwala, M.; Steigerwald, R. and Gu single power stage," IEEE Power Electron				
	Daniele, Matteo; Jain, Praveen K. and Jo IEEE Transactions on Power Electronics,				
	Wei, H.; Batarseh, Issa; Zhu, G. and Kornetzky, P., "A single-switch AC-DC converter with power factor correction," IEEE Trans. on Power Electronics, Vol. 15, No. 3, pp. 421 – 430, May 2000.				
	Tacca, H.E., "Power Factor Correction using merged flyback-forward converters," IEEE Transactions on Power Electronics, Vol. 15, No. 4, pp. 585 – 594, July 2000.				
Jovanovic, M.M.; Tsang, D.M.C. and Lee, F.C., "Reduction of voltage stress in integrate regulators by variable frequency control," Proceedings of Applied Power Electronics Cont(APEC), pp. 569 – 575, 1994					
	Bontemps, Serge and Grafham, Denis, "Low-loss resonant gate drive saves energy and limits EMI in 3.5kW hard-switched PFC boost-converters," PCIM 2002 (Europe), Nuremberg, Germany.				
	Joshi, Madhuwanti and Agarwal, Vivek, "EMI mitigation in power electronic circuits operating at high power factor," Proceedings of the IEEE International Conference on Industrial Technology 2000, Goa India, pp. 267 – 271.				
	Shet, V.N., "Power Factor Correction in Power Converters," Ph.D. Dissertation, Dept. of Electrical Engineering, IIT-Bombay, 2002.				
	Stratford, R.P., "Rectifier harmonics in power systems," IEEE Trans. Ind. Appl. Vol. IA-16, pp. 271-276, 1980.				
<del> </del>	Shepherd, W.; Zand, P., "Energy flow and power factor in nonsinusoidal circuits," (London: Cambridge University Press), 1979.				
	Schwarz, F.C., "A time-domain analysis of subcritical inductance," IEEE Trans. Ind. I				
	Vorperian, V.; Ridley, R., "A simple scher IEEE Trans. Power Electron 5, pp. 77-87,		for high frequency AC buses,"		
Examiner		Date Considered			

<sup>\*</sup>Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 (modified) INFORMATION DISCLOSURE CITATION		Atty. Docket No. 1138-102	Serial No. 10/689,863		
*		Applicant: Agarwal, et al.			
		Filing Date October 20, 2003	Group 2838		
	Jain, P., "A unity power factor resonant AC IEEE Power Electron. Spec. Conf., Rec. I,	C/DC converter for high frequency sp 1994.	pace power distribution system,		
	Prasad, A.R.; Ziogas, P.D.; Manias, S., "A IEEE Trans. Ind. Electron., IE-37, pp. 521-		or single phase diode rectifiers,		
	Lai, Jih-Sheng; Hurst, D.; Key, T., "Switch elimination methods," IEEE Appl. Power E				
	Prasad, A.R.; Ziogas, P.D.; Manias, S., "A input waveshaping," IEEE Trans. Ind. Elect				
•	Mohan, N.; Undeland, T.M., Ferraro, R.J., converter," IEEE Power Electron. Spec. Co	"Sinusoidal line current rectification onf., Rec., pp. 92-98, 1984.	with a 100kHz BN-SIT step up		
	Enjeti, P.N.; Martinez, R., "A high performance single phase AC to DC rectifier with input power factor correction," IEEE Appl. Power Electron. Conf., Rec., pp. 196-203, 1993.				
	Dawande, M.S.; Dubey, G.K., "Bang bang current control with predecided switching frequency for switch mode rectifiers," IEEE Power Electron Drives Syst. Conf., Rec., pp. 538-542, 1995.				
	Zhou, C.; Ridley, R.B.; Lee, F.C., "Design and analysis of hysteretic boost power factor correction circuit," IEEE Power Electron. Spec. Conf., Rec., pp. 800 – 807, 1990.				
	Spangler, J.J.; Behera, A.K., "A comparison between hysteretic and fixed frequency boost converters used for power factor correction," IEEE Appl. Power Electron. Conf., Rec., pp. 281-286, 1993.				
	Tang, W.; Lee, F.C.; Ridley, R.B.; Cohen, I., "Charge control: Modeling, analysis and design," IEEE Power Electron. Spec. Conf., Rec., pp. 503-511, 1992.				
	Tang, W.; Jiang, Y.M.; Hua, G.C.; Lee, F.C.; Cohen, I., "Power factor correction with flyback converter employing charge control," IEEE Appl. Power Electron. Conf., Rec., pp. 293-298, 1993.				
	Endo, H.; Yamashita, T.; Sugiura, T., "A high power factor buck converter," IEEE Power Electron. Spec. Conf., Rec., pp. 1071-1076, 1992.				
	Maksimovic, D.; Erickson, R., "Universal-i Power Electron, Conf., Rec., pp. 459-465, 1		er rectifiers," IEEE Appl.		
Examiner		Date Considered			

<sup>\*</sup>Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 (modified) INFORMATION DISCLOSURE CITATION	Atty. Docket No. 1138-102	Serial No. 10/689,863			
	Applicant: Agarwal, et al.				
	Filing Date October 20, 2003	Group 2838			
Mwinyiwiwa, Bakari M.M.; Birks, F Trans. Ind. Appl. 28, pp. 552-557, 19	P.M.; Ooi, Boon-Teck, "Delta-modulated but 1992.	ck-type PWM converter," IEEE			
Ooi, Boon-Teck; Mwinyiwiwa, Bak delta-modulated current-source PWI	ari M.M.; Wang, X., Joos, G., "Operating lir M rectifier," IEEE Trans. Ind. Appl., 38, pp.	nits of the current-regulated 268-274, 1991.			
Todd, P.C., UC 3854, "Controlled portion Handbook, Lexington, MA, 1993-94	ower factor correction circuit design," Unitro	ode-Product Applications			
	Oruganti, R. and Palaniapan, M., "Inductor voltage controlled variable power factor buck – type AC-DC converter," Proceedings of Power Electronics Specialists Conference (PESC), pp. 230 – 237, 1996.				
Oruganti, R. and Srinivasan, Ramesl 6, pp. 753 –780, 1997.	Oruganti, R. and Srinivasan, Ramesh, "Single phase power factor correction – A review," Sadhana, vol. 22, par 6, pp. 753 –780, 1997.				
	Prasad, A.R., Ziogas, P.D., Manias, S., "A novel passive waveshaping method for single phase diode rectifiers," IEEE Tran. Ind. Electron., IE-37, pp. 521 – 530, 1990.				
	Takahashi, I., Igarashi, R.Y., "A switching power supply of 99% power factor by the dither rectifier," IEEE International Telecommunication Energy Conference Record, pp. 714-719, 1991.				
	Madigan, M.; Ericson, R.; Ismail, E., "Integrated high quality rectifier regulators," IEEE Power Electronic. Spec. Conference, pp. 1043 – 1051, 1992.				
	Elmore, M.S.; Peterson, W.A.; Sherwood, S.D., "A power factor enhancement circuit," IEEE Applied Power Electron. Conf. Record, pp. 407 – 414, 1991				
for Buck Applications Operating at I	Agarwal, Vivek; Sundarsingh, V. P.; Bontemps, Serge and Grafham, Denis, "A Smart Power Converter Module for Buck Applications Operating at High Input Power Factor," Proceedings of the 28 <sup>th</sup> Annual Conference on Industrial Electronics, Control and Instrumentation (IECON), Sevilla, Spain, pp. 858-863, 2002				
switch isolated 42V/1kW battery cha	Agarwal, Vivek; Sundarsingh, V.P.; Bontemps, Serge; Calmels, Alain and Grafham, Denis, "Novel single-switch isolated 42V/1kW battery charger module uses converter operating at near-unity Power Factor," Proceedings of PCIM - 2003, Nuremberg, Germany, May 20-22, 2003				
Umanand, L. and Bhat, S.R., "Design Edition, Willey Eastern Limited, 199	gn of magnetic components for switched mo- 92.	de power converters", First			
Examiner	Date Considered				

<sup>\*</sup>Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

		Sheet 5 of 5				
Form PTO-1449 (modified) INFORMATION DISCLOSURE CITATION	Atty. Docket No. 1138-102	Serial No. 10/689,863				
	Applicant: Agarwal, et al.					
·	Filing Date October 20, 2003	Group 2838				
Zhang, Y.F.; Yang, L. and Lee, C.Q., "El Proceedings of the Ninth Annual Applied	MI reduction of power supplies by Bi- I Power Electronics Conference and Ex	Frequency modulation," sposition, pp. 601 – 607, 1994				
Garcia, O.; Cobos, J.A.; Alou, P.; Prieto, Power Factor Correction Converters with Conference, 1997, PESC '97 record, 28 <sup>th</sup> US 22 June 1997, pp. 536-542	Fast Output Voltage Regulation," Pov	ver Electronics Specialists				
Nagao, Michihiko, "One Stage Forward-Conference, 1997, PESC '97 Record, 28th	Nagao, Michihiko, "One Stage Forward-Type Power Factor Correction Circuit," Power Electronics Specialists Conference, 1997, PESC '97 Record, 28th Annual IEEE, St. Louis, MO, 22-27 June 1997					
(EMC), Part 3. Limits, Section 3. Limits	European Committee for Electrotechnical Standardization (CENELEC), Electromagnetic compatibility (EMC), Part 3. Limits, Section 3. Limitation of voltage fluctuations and flicker in low-voltage supply systems for equipment with rated current 16A, European Standard EN 61000-3-3, January 1995					
•						

\*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Date Considered

Examiner